



# SAFETY DATA SHEET

## Section 1. Identification of the material and the supplier

Product: Gorilla Wood Glue  
Synonyms: Polyvinyl Acetate Polymer product in water  
Product Use: Consumer Adhesives for building, carpentry, or hobby projects using any type of wood. It is water resistant (passes ANSI/HPVA Type II), sandable, and paintable.

**Australian Supplier:** **Kincrome Tools & Equipment Pty Ltd**  
**3 Lakeview Drive**  
**Caribbean Business Park**  
**Scoresby, Victoria 3179**  
**Australia**

Telephone: +611300 657 528  
Fax: +611300 556 005

**Emergency Number: 13 11 26**

**Manufacturer:** Gorilla Glue Europe A/S  
Chorley Business & Technology Centre  
East Terrace Euxton Lane  
Chorley PR7 6TE

**Telephone:** +44-(0)1257 241319

Date of SDS Preparation: 24 August 2016

## Section 2. Hazards Identification

Australia NOHSC – NOT Hazardous according to Safe Work Australia NOHSC 2011 National Code of Practice

## Section 3. Composition / Information on Ingredients

Ingredient	Cas No	Weight %
Non-hazardous or trace ingredients		To balance

## Section 4. First Aid Measures

Routes of Exposure:

If in Eyes: Rinse cautiously with water for 15 minutes. If eye irritation persists: Get medical advice.

If on Skin: Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention.

If Swallowed: Rinse mouth. DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

If Inhaled: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position



# SAFETY DATA SHEET

and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult or if you feel unwell.

## Section 5. Fire Fighting Measures

<b>Hazard Type</b>	Not flammable.
<b>Hazards from decomposition products</b>	Carbon oxides (CO, CO <sub>2</sub> ). Oxides of aluminum.
<b>Suitable Extinguishing media</b>	This product in solution form does not burn. The product will only burn after the water it contains is driven off. For the dry polymer, use alcohol resistant foam, carbon dioxide, or dry chemical. <b>Unsuitable:</b> Do not use a heavy water stream. Use of heavy stream of water may spread fire.
<b>Precautions for firefighters and special protective clothing</b>	Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Do not allow run-off from fire-fighting to enter drains or water courses.
<b>HAZCHEM CODE</b>	<b>None Allocated</b>

## Section 6. Accidental Release Measures

### For emergency responders:

Use personal protection recommended in Section 8. Do not get in eyes, on skin, or on clothing. Contaminated surfaces will become very slippery. Evacuate unnecessary personnel.

### Methods and material for containment and cleaning up

Ventilate area. Stop leak if safe to do so. Absorb and/or contain spill with inert material, then place in suitable container. Dispose of according to Local Regulations. Prevent entry to sewers and public waters.

## Section 7. Handling and Storage

### Handling

- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective clothing.
- Handling Temperature: >10°C

### Storage

- Store in a dry, cool and well-ventilated place.
- Keep container tightly closed when not in use.
- Protect from moisture.
- Store away from strong acids, strong bases, strong oxidizers, water.
- Storage temperature: 10 – 35°C

## Section 8 Exposure Controls / Personal Protection

### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)

Austria	MAK (mg/m <sup>3</sup> )	0,05 mg/m <sup>3</sup>
---------	--------------------------	------------------------



# SAFETY DATA SHEET

## Engineering Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide sufficient ventilation to keep vapors below permissible Exposure limit. Ensure all national/local regulations are observed.

## Personal Protection Equipment



<b>Eyes</b>	Wear goggles or safety glasses.
<b>Hands and Skin</b>	Wear chemically resistant protective gloves. Wear suitable protective clothing.
<b>Respiratory</b>	Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Light Tan, Milky Liquid
<b>Odour</b>	Sweet
<b>Odour Threshold</b>	Not available
<b>pH</b>	2.5 - 3.5
<b>Boiling Point</b>	>100°C
<b>Melting Point</b>	0°C
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	Not available
<b>Flammability</b>	Not available
<b>Upper and Lower Exposure Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Density</b>	Not available
<b>Relative Density</b>	Not available
<b>Solubilities</b>	Not available
<b>Partition Coefficient:</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	4000 - 6000 cP @ 25 °C
<b>Particle Characteristics</b>	Not available

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions.
<b>Conditions to Avoid</b>	Direct sunlight. Extremely high or low temperatures.
<b>Incompatible Materials</b>	Strong acids, strong bases, strong oxidizers, water.
<b>Hazardous Decomposition Products</b>	Carbon oxides (CO, CO <sub>2</sub> ). Oxides of aluminum.



# SAFETY DATA SHEET

## Section 11 Toxicological Information

### Acute Effects:

<b>Swallowed</b>	Not applicable.
<b>Dermal</b>	Not applicable.
<b>Inhalation</b>	Not applicable.
<b>Eye</b>	Not applicable.
<b>Skin</b>	Not applicable.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Not applicable.

## Section 12. Ecotoxicological Information

This product is not harmful to the environment.

3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
LC50 fishes 1	1,6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
EC50 Daphnia 1	4,71 mg/l (Exposure time: 48 h - Species: Daphnia)
EC50 Daphnia 2	0,12 - 0,3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])

<b>Persistence and degradability</b>	3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4) Log Pow -0,71 - 0,75 (at 20 °C)
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

## Section 13. Disposal Considerations

This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

## Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in Australian Dangerous Goods Code ADG7 and NOHSC:1008(2004)

## Section 15 Regulatory Information

**Australia NOHSC – NOT Hazardous according to Safe Work Australia NOHSC 2011 National Code of Practice.**

Poison Schedule: Not Scheduled



## SAFETY DATA SHEET

### Section 16 Other Information

1. Safe Work Australia: Preparation of SDS sheets for hazardous chemicals(Code of Practice).

Nexreg Compliance Disclaimer:

This document was created by a 3rd party service that has advertised to Nexreg Compliance, Inc. (Nexreg) specialized regulatory knowledge and capabilities in the region(s) where this document is stated to be compliant. We believe the statements, technical information, translations and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. In the event that there is a dispute regarding the documents compliance or content Nexreg will endeavour to provide all reasonable assistance to remedy the problem. It is ultimately the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

3rd party service Disclaimer:

This document has been issued by a subcontractor and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to subcontractor or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While the subcontractors have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, the subcontractors accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian distributor, if further information is required.

Issue Date: 24 August 2016

Review Date: 24 August 2021